

Stockcode: ATZ VGA15MMxxMRGB (xx = length: 2/3/5/10/15/20/30)

Description: HD15MALE/MALE RGB VGA Cable.

Lengths: 2M/3M/5M/10M/15M/20M/30M



Features:

- Premium grade heavy duty VGA Cable with a male High Density 15 way D connector (HD15) on each end.
- Supports high resolution up to 2048 x 1536
- Superior cables with foil and braid shielding for maximum EMI/RFI protection
- Gold plated connectors and gold plated copper contacts ensure excellent conductivity



Stockcode: ATZ VGA15MMxxMRGB (xx=length: 2/3/5/10/15/20/30)

Description: HD15MALE/MALE RGB VGA Cable.

Lengths: 2M/3M/5M/10M/15M/20M/30M

• Connectors: HD15 male to HD15 male molded connectors

Hood: PVC

• Ferrite cores fitted both ends to act as large inductance at high frequencies, so the core will suppress current spikes in the cables. Think of it as a "shock absorber" for very short spikes.

• Insulation: High Temperature Plastic, UL94V-0 rated

• Shell: Steel Alloy

• Contacts: Copper Alloy, gold plated over nickel

• Cable: UL Style 2919, three 75 Ohm Coaxial Cables and 4 or 5 or 7 Cores of 28AWG Conductors, overall aluminized Polyester Film Shield and Tinned Copper Braid Shield Plus Drain Wire, PVC Outer Jacket.

•Core: 17.5 x 28.5 x 9.5

Available Lengths: 2m/3m/5m/10m/15M/20M

Package Includes:

1 x RGB VGA Cable




Stockcode: ATZ VGA15MMxxMRGB (xx = length: 2/3/5/10/15/20/30)

Description: HD15MALE/MALE RGB VGA Cable.

Lengths: 2M/3M/5M/10M/15M/20M/30M

Product Diagram:



Warranty: 3 Years

Warranty time is from the date of original delivery.

This warranty shall be void if a serial number has been removed from the product.