

Description: 17"/19" Combo LCD KVM Console Drawers (Dual rail)

- Optimize rack space. Maximize rack monitoring -



ATZ range of LCD console drawers provides a variety of features that simplify to access servers to making system monitoring, troubleshooting and software upgrades.

Flexible dual rail design, capable LCD screen and keyboard tray operated independently.

The self-locking rails when in the fully extended open position and the ultra-convenient auto lock release when the LCD panel is closed, make for simple and hassle free operation.

Available with 17" or 19" A-Grade LCD panels, combo DB15 single, 8 or 16 port integrated KVM switch & with an option remote IP console.



ATZ IP101

Model : ATZ LK1701D/LK1708D/LK1716D/LK1901D/LK1908D/LK1916D

Description: 17"/19" Combo LCD KVM Console Drawers (Dual rail)

- Optimize rack space. Maximize rack monitoring -

Optional Remote IP Access

 An expansion slot allows you to add an optional KVM over IP module to enable remote access to your servers.

 Gain BIOS level access to your servers for system maintenance, support or failure recovery via secure SSL authentication and encryption.



- Support combo interface, VGA-USB & VGA-PS/2.
- Dual slide rail capable LCD screen and keyboard tray independent Operate.
- Durable 104-key keyboard and touch pad.
- Quick and simple installation.
- Self-locking and auto release rails for ultra-convenience.
- Port selection via push buttons or On-Screen-Display (OSD).
- Dedicated daisy chain port to expand up to 240 servers.
- Access Control List (ACL) security function for up to 8 independent user accounts.



Description: 17"/19" Combo LCD KVM Console Drawers (Dual rail)

- Optimize rack space. Maximize rack monitoring -

Specifications:

Part No.		ATZ LK1701D	ATZ LK1708D	ATZ LK1716D	ATZ LK1901D	ATZ LK1908D	ATZ LK1916D	
Direct no. of Computers		1	8	16	1	8	16	
Maximum no. of Computers		1	232(Daisy Chain)	240(Daisy chain)	1	232(Daisy Chain)	240(Daisy chain)	
LCD	Size	17"			19"			
	Backlight	LED			LED			
	Resolution	1280*1024			1280*1024			
	Max.color	16.7M			16.7M			
	Luminanc e	250cd/m2			250cd/m2			
	View Angel (H/V)	176 / 170			170 / 160			
	Contrast Ratio	1000 : 1			1000 : 1			
Port Selection		N/A	Push Button, OSD or Hotkey		N/A	N/A Push Button, OSD or Hotkey		
Expansion Slot		N/A	Yes, option for Remote IP Access		N/A	Yes, option for Remote IP Access		
KB/Mouse Emulation		USB & PS2						
Rack	Depth	522mm to 1100mm (rack cabinet front rails to rear rails)						
Powe	er	100-240V AC 50/60Hz via IEC Type power cord						
Environment		Operation temp: 0 to 50°C Storage temp: -20 to 60°C Humidity: 10% - 90%, non-condensing Shock: 10G acceleration (11ms duration) Vibration: 17 to 500Hz 1G PTP						
	ension/N.W	449.8x44.4x685mm (WxHxD) / 13.0KG			449.8x44.4x685mm (WxHxD) / 13.5KG			
Pack Dime	ing ension/G.W	710x185x910mm (WxHxD) / 20.0KG			710x185x910mm (WxHxD) / 20.5KG			

Accessory

- 1x 1.8meter IEC Type Power Cord
- 1x 1.8meter VGA& PS2 Cable
- 1x 1.8meter USB Type-A Cable (for ATZ LK1701_1901D)



Description: 17"/19" Combo LCD KVM Console Drawers (Dual rail)

- Optimize rack space. Maximize rack monitoring -


Optional						
ATZ KCU-1.8	1.8meter 2-in-1 KVM Cable-USB&VGA					
ATZ KCU-3	3.0meter 2-in-1 KVM Cable-USB&VGA					
ATZ KCU-5	5.0meter 2-in-1 KVM Cable-USB&VGA					
ATZ KCP-1.8	1.8meter 3-in-1 KVM Cable-PS/2&VGA					
ATZ KCP-3	3.0meter 3-in-1 KVM Cable-PS/2&VGA					
ATZ KCP-5	5.0meter 3-in-1 KVM Cable-PS/2&VGA					
ATZ IP-101	KVM over IP module for Remote Bios Level Access					

Product Diagram:


ATZ LK1701_1901D



ATZ LK1708_1908D




ATZ LK1716_1916D





Description: 17"/19" Combo LCD KVM Console Drawers (Dual rail)


- Optimize rack space. Maximize rack monitoring -






Description: 17"/19" Combo LCD KVM Console Drawers (Dual rail)

- Optimize rack space. Maximize rack monitoring -







Description: 17"/19" Combo LCD KVM Console Drawers (Dual rail)

- Optimize rack space. Maximize rack monitoring -

Warranty: 3 Years

Warranty is effective from the date of original delivery.

This warranty shall be void if a serial number has been removed from the product.