Model **:** ATZ Mini DP-DP-xM (x=2M/3M/5M)
Description: MINI DISPLAYPORT 1.2 TO DISPLAYPORT 4K CABLE (2M/3M/5M)

Features:

The ATZ MINI DP-DP-3M - Mini DisplayPort™ to DisplayPort Adapter Cable, features a Mini DP male connector on one end, and a DP male connector on the other, allowing you to connect any Mini DisplayPort-equipped laptop (including the Mac® family of products) to an HDTV, monitor or projector that uses a standard DisplayPort connection.

The mDP to DP cable supports high resolutions of up to 4k x 2k (3840 x 2160) @ 60Hz with a maximum HBR2 bandwidth of 21.6 Gbps. The cable also supports Multi-Stream (MST) for daisy chaining multiple monitors and provides optional audio support.

Specifications:

- Connector: 20-pin 30U male, shell nickel plated, and 24k gold pins 15U
- Cables: UL20276 #32(7/0.08TS+AL+D+MY)*5P+#28 7/0.12TS)*1C+(#32(7/0.08TS)*4C+AL+D+B AL/MG, Black PVC jacket, OD:5.0mm
- Voltage: DC 300V 2M ohm/10ms
- Contact resistance: 2ohm MAX
- All materials RoHs compliant

Package Includes:
1x Mini Displayport 1.2 to Displayport 4K cable

Product Diagram:

ATZ MINI DP-DP-2M

ELECTRICAL TEST:
1. 100% OPEN SHORT MIS WIRE TEST
2. CONTACT RESISTANCE:15 OHM MAX
3. INSULATION RESISTANCE:5M OHM MIN
4. HI-POT TEST:DC 300V/10ms

ATZ MINI DP-DP-3M_5M

Warranty: 3 Years
Warranty is effective from the date of original delivery.
This warranty shall be void if a serial number has been removed from the product.