

Model : ATZ VC-HDMI-RCA
Description: HDMI to RCA/AV Converter



Introduction:

The HDMI to AV converter, Which will convert HDM video signal or audio signal to AV (CVBS) composite video signal and the FL / FR stereo audio signals, while support DVI system sideline signals. To help users convert the high quality of the HDMI video signal into normal CVBS signal (standard-definition 480i, 576i,).So that can play on TV, VHS VCR, DVD recorders, etc and support NTSC and PAL two TV format.

Model : ATZ VC-HDMI-RCA
Description: HDMI to RCA/AV Converter



Features:

1. No need to install drivers, portable, flexible, plug and play;
2. Low power, No power adaptor;
3. Support NTSC and PAL two standard TV formats output;
4. Compatible HDMI1.3.

Specifications:

| | |
|------------------------|---|
| Signal Inputs | HDMI Signal |
| Output Video | Composite Signal (Yellow,White,Red) |
| Dimensions(mm) | 66(D)x55(W)x20(H) |
| Wight (g) | 40 |
| HDMI Input Resolution | 640x480@60Hz,800x600@60Hz,1024x768@60Hz, 1280x720@60Hz, 1280x1024@60Hz,1360x768@60Hz, 1600x1200@60Hz,1920x1080@60Hz, 480i/60Hz, 480p/60Hz, 576i/60Hz, 576p/60Hz, 720p 50/60Hz,1080i 50/60Hz,1080p 50/60Hz. |
| CVBS output | PAL,NTSC_M,(NTSC_J) |
| Limited Warranty | 2 Years |
| Operating Temperature | 0°C to +70°C |
| Operating Humidity | 10% to 85 % RH (no condensation) |
| Storage Temperature | -10C to +80C |
| Storage Humidity | 5% to 90 % RH (no condensation) |
| Power Supply | USB Power Cable |
| Power consumption(Max) | 5W |
| Converter Unit Cert. | FCC,CE, |

Model : ATZ VC-HDMI-RCA
Description: HDMI to RCA/AV Converter

| | |
|-------------------|-----------------|
| Power Supply Cert | CE,FCC |
| User Manual | English Version |

Product Diagram:



Package contents:

- 1) Main unit HDMI to CVBS Converter
- 2) USB Power Cable
- 3) User Manual

Warranty:

Warranty is effective from the date of original delivery.
This warranty shall be void if a serial number has been removed from the product.