

**Model** : ATZ VGA15MFxxMRGB (xx=length: 15/20/30)  
**Description:** HD15MALE/MALE RGB VGA Cable. Lengths: 15M/20/30



**Model** : ATZ VGA15MFxxMRGB (xx=length: 15/20/30)  
**Description:** HD15MALE/MALE RGB VGA Cable. Lengths: 15M/20/30



---

## Features:

- Premium grade heavy duty VGA Cable with a High Density 15 way D connector (HD15) on both ends.
  - Supports high resolution up to 2048 x 1536
  - Superior cables with foil and braid shielding for maximum EMI/RFI protection
  - Gold plated connectors and gold plated copper contacts ensure excellent conductivity
  - Connectors: HD15 male to HD15 female molded connectors
- Hood: PVC
- Ferrite cores fitted both ends to act as large inductance at high frequencies, so the core will suppress current spikes in the cables. Think of it as a "shock absorber" for very short spikes.
  - Insulation: High Temperature Plastic, UL94V-0 rated
  - Shell: Steel Alloy
  - Contacts: Copper Alloy, gold plated over nickel
  - Cable: UL Style 2919, three 75 Ohm Coaxial Cables and 4 or 5 or 7 Cores of 28AWG Conductors, overall aluminized Polyester Film Shield and Tinned Copper Braid Shield Plus Drain Wire, PVC Outer Jacket.
  - Core: 17.5 x 28.5 x 10.5
  - Length: 2M/3M/5M/10M

---

## Specifications: NA

---


## Package Includes:

1 x RGB VGA Cable

**Model** : ATZ VGA15MFxxMRGB (xx=length: 15/20/30)  
**Description:** HD15MALE/MALE RGB VGA Cable. Lengths: 15M/20/30



**Product Diagram:**



PIN ASSLGMENT			
P1	P2	P1	P2
1 - RGB-RD	1	10	10
2 - RGB-GR	2	11	11
3 - RGB-BL	3	12	12
4	4	13	13
5	5	14	14
6 - RD-Drain	6	15	15
7 - GR-Drain	7		
8 - BL-Drain	8	Shell	Shell

8	Cable:9.0/Color:Black	1	PCS
7	LDPE	16	g
6	55P Black PVC	40	g
5	滴胶/银底黑字/印"ATZ"	4	PCS
4	Core:17.5*28.5*10.5	2	PCS
3	VGA螺丝/NI/4.0*36	4	PCS
2	VGA Female/G/蓝色胶芯	1	PCS
1	VGA Male/G/蓝色胶芯	1	PCS
NO.	Description	Q' TY	Unit

**Warranty: 3 Years**

Warranty time is from the date of original delivery.

This warranty shall be void if a serial number has been removed from the product.