

Model : ATZ VGA15MFxMRGB (x=length: 2/3/5/10)

Description: HD15MALE/MALE RGB VGA Cable. Lengths: 2M/3M/5M/10M



Model : ATZ VGA15MFxMRGB (x=length: 2/3/5/10)

Description: HD15MALE/MALE RGB VGA Cable. Lengths: 2M/3M/5M/10M



Features:

- Premium grade heavy duty VGA Cable with a High Density 15 way D connector (HD15) on both ends.
 - Supports high resolution up to 2048 x 1536
 - Superior cables with foil and braid shielding for maximum EMI/RFI protection
 - Gold plated connectors and gold plated copper contacts ensure excellent conductivity
 - Connectors: HD15 male to HD15 female molded connectors
- Hood: PVC
- Ferrite cores fitted both ends to act as large inductance at high frequencies, so the core will suppress current spikes in the cables. Think of it as a "shock absorber" for very short spikes.
 - Insulation: High Temperature Plastic, UL94V-0 rated
 - Shell: Steel Alloy
 - Contacts: Copper Alloy, gold plated over nickel
 - Cable: UL Style 2919, three 75 Ohm Coaxial Cables and 4 or 5 or 7 Cores of 28AWG Conductors, overall aluminized Polyester Film Shield and Tinned Copper Braid Shield Plus Drain Wire, PVC Outer Jacket.
 - Core: 17.5 x 28.5 x 9.5
 - Length: 2M/3M/5M/10M

Specifications: NA

Package Includes:


1 x RGB VGA Cable

Model : ATZ VGA15MFxMRGB (x=length: 2/3/5/10)

Description: HD15MALE/MALE RGB VGA Cable. Lengths: 2M/3M/5M/10M



Product Diagram:



Warranty: 3 Years

Warranty time is from the date of original delivery.

This warranty shall be void if a serial number has been removed from the product.