

Model : ADP-HDMI-ADPTR-20cm

Description: ACTIVE DISPLAYPORT 1.2 TO HDMI 4K 2K ADAPTER
w/SHORT CABLE (20cm)



This adapter transmit signals from DisplayPort compatible desktops and laptops to Ultra-High Definition HDMI display (TV sets, projectors, etc). It can support displays of up to 4K@60Hz UltraHD and 1080p@120Hz and is ideal for your office, home entertainment display, conference rooms, and more.

Model : ADP-HDMI-ADPTR-20cm

Description: ACTIVE DISPLAYPORT 1.2 TO HDMI 4K 2K ADAPTER
w/SHORT CABLE (20cm)

Active circuitry allows PCs with or without Dual-Mode DisplayPort (DP++) to connect to displays with HDMI inputs.

Note: This adapter is NOT bi-directional. It can only transfer signal from DisplayPort source to HDMI monitors/ displays/ projectors.

Features:

Active solution and supports AMD Eyefinity to extend to multiple screens for a better gaming experience

- Compliant with DP1.2a specification, and downward compatible with lower versions.
- Compliant with HDMI 2.0 and HDCP.
- EDID pass-through from PC source to display.
- Supports 3D format and compliant with lower versions.
- Supports Resolution up to 1080p@120Hz & 4K@60Hz (3840x2160 & 4096x2160)
- Supports 18Gbps HDMI bandwidth.
- Supports Audio: 7.1 Surround, 8-channel LPCM, HBR audio formats up to 192kHz frame rate.
- Supports power automatic management.
- Supports ATI Eyefinity™ multi-screen display function.
- DisplayPort connector with latch design to ensure secure & stable connection.

Specifications:

Connector A	1x Displayport male [20 pins] Gold plated w/tin plate
Connector B	1x HDMI Type-A Female (copper foil)
Storage Temperature (°C)	-10 ~ 70
Operating Temperature (°C)	0 ~ 45
Humidity (% RH)	10 ~ 85
ESD	HBM 8kV
Body Material	PVC 45P
Body Colour	Black
Overall Length (cm)	20
Weight (g)	45
Cable Type	UL20276 #32*5P+#32*4C+#28*1C+AB braided black PVC

