









ATZ range of LCD console drawers provides a variety of features that simplify to access servers to making system monitoring, troubleshooting and software upgrades.

The self-locking rails when in the fully extended open position and the ultra-convenient auto lock release when the LCD panel is closed, make for simple and hassle free operation.

Available with 17" or 19" A-Grade LCD panels, combo Single, 8 or 16 port integrated KVM switch & with an option remote IP console.

**Description:** 17" **FHD** Combo LCD KVM Console Drawers

- Optimize rack space. Maximize rack monitoring -



ATZ IP101

## **Optional Remote IP Access**

 An expansion slot allows you to add an optional KVM over IP module to enable remote access to your servers.

 Gain BIOS level access to your servers for system maintenance, support or failure recovery via secure SSL authentication and encryption.



- Support combo interface, VGA-USB & VGA-PS/2.
- Durable 104-key keyboard and touch pad.
- Quick and simple installation.
- Self-locking and auto release rails for ultra-convenience.
- Port selection via push buttons or On-Screen-Display (OSD).
- Dedicated daisy chain port to expand up to 240 servers.
- Access Control List (ACL) security function for up to 8 independent user accounts.

# **Specifications:**

	Part No.	ATZ LK1701SW	ATZ LK1708SW	ATZ LK1716SW
Direct no. of Computers		1	8	16
Maximum no. of Computers		1	232(Daisy Chain)	240(Daisy chain)
LCD	Size	17.3″		
	Backlight	LED		
	Resolution	1920*1080 Full HD ( support resolution up to 1920x1200 )		
	Max. color	262K		








Luminance	Luminance 300cd/m2		
View Ange (H/V)	140 / 120		
Contrast Ratio	3000 : 1		
Port Selection	N/A	Push Button, OSD or Hotkey	
Expansion Slot	N/A	Yes, option for Remote IP Access	
KB/Mouse Emulation	USB & PS2		
Rack Depth	500mm to 1100mm ( rack cabinet front rails to rear rails )		
Power	100-240V AC 50/60Hz via IEC Type power cord		
Environment	Operation temp: 0 to 50°C Storage temp: -20 to 60°C Humidity: 10% - 90%, non-condensing Shock: 10G acceleration ( 11ms duration) Vibration: 17 to 500Hz 1G PTP		
Physical Dimensions / Net Weights	448x42x580mm (WxHxD) / 12.0KG	448x42x580mm (WxHxD) / 12.5KG	
Packing Dimensions / Gross weights	715x140x780mm (WxHxD) / 18.0KG	715x140x780mm (WxHxD) / 19KG	

### Accessory

- 1x 1.8meter IEC Type Power Cord
- 1x 1.8meter VGA& PS2Cable
- 1x 1.8meter USB A Type Cable for (ATZ LK1701SW)

Optional Item					
ATZ KCU-1.8	1.8meter 2-in-1 KVM Cable-USB & VGA				
ATZ KCU-3	3.0meter 2-in-1 KVM Cable-USB & VGA				
ATZ KCU-5	5.0meter 2-in-1 KVM Cable-USB & VGA				
ATZ KCP-1.8	1.8meter 3-in-1 KVM Cable-PS/2 & VGA				
ATZ KCP-3	3.0meter 3-in-1 KVM Cable-PS/2 & VGA				
ATZ KCP-5	5.0meter 3-in-1 KVM Cable-PS/2 & VGA				
ATZ IP-101	KVM over IP module for Remote Bios Level Access				









## **Product Diagram:**



#### **ATZ LK1701SW**



#### **ATZ LK1708SW**




#### **ATZ LK1716SW**









pg. 5

**Notes:** - All brand names and trademarks are properties of their respective holders and are referred to here for descriptive purpose only. Photo attached is for reference only, it may be slightly varied in items of colour, shape from the actual item delivered from time to time.

**Description:** 17" **FHD** Combo LCD KVM Console Drawers







# **Warranty: 3 Years**

Warranty is effective from the date of original delivery.

This warranty shall be void if a serial number has been removed from the product.