

Model : ATZ 17xxSW (xx= no. of KVM ports)
Description : 17" **FHD** Combo LCD KVM Console Drawers (**8/16 ports**)
- Optimize rack space. Maximize rack monitoring -



ATZ range of LCD console drawers provides a variety of features that simplify to access servers to making system monitoring, troubleshooting and software upgrades.

The self-locking rails when in the fully extended open position and the ultra-convenient auto lock release when the LCD panel is closed, make for simple and hassle free operation.

Available with 17" or 19" A-Grade LCD panels, combo Single, 8 or 16 port integrated KVM switch & with an option remote IP console.

Model : ATZ 17xxSW (xx= no. of KVM ports)
Description : 17" **FHD** Combo LCD KVM Console Drawers (**8/16 ports**)
- Optimize rack space. Maximize rack monitoring -



Features:

- Support combo interface, VGA-USB & VGA-PS/2.
 - Durable 104-key keyboard and touch pad.
 - Quick and simple installation.
 - Self-locking and auto release rails for ultra-convenience.
 - Port selection via push buttons or On-Screen-Display (OSD).
 - Dedicated daisy chain port to expand up to 240 servers.
 - Access Control List (ACL) security function for up to 8 independent user accounts.
-

Model : ATZ 17xxSW (xx= no. of KVM ports)
Description : 17" **FHD** Combo LCD KVM Console Drawers (**8/16 ports**)
- Optimize rack space. Maximize rack monitoring -



Specifications:


Part No.		ATZ LK1708SW	ATZ LK1716SW
Direct no. of Computers		8	16
Maximum no. of Computers		232(Daisy Chain)	240(Daisy chain)
LCD	Size	17.3"	
	Backlight	LED	
	Resolution	1920*1080 Full HD (support resolution up to 1920x1200)	
	Max. color	262K	
	Luminance	300cd/m2	
	View Angel (H/V)	140 / 120	
	Contrast Ratio	3000 : 1	
Port Selection		Push Button, OSD or Hotkey	
KB/Mouse Emulation		USB & PS2	
Rack Depth		500mm to 1100mm (rack cabinet front rails to rear rails)	
Power		100-240V AC 50/60Hz via IEC Type power cord	
Environment		Operation temp: 0 to 50°C Storage temp: -20 to 60°C Humidity: 10% - 90%, non-condensing Shock: 10G acceleration (11ms duration) Vibration: 17 to 500Hz 1G PTP	
Physical Dimensions / Net Weights		448x42x580mm (WxHxD) / 12.0KG	448x42x580mm (WxHxD) / 12.5KG
Packing Dimensions / Gross weights		715x140x780mm (WxHxD) / 18.0KG	715x140x780mm (WxHxD) / 19KG
Accessory			
1x 1.8meter IEC Type Power Cord 1x 1.8meter VGA& PS2Cable 1x 1.8meter USB A Type Cable for (ATZ LK1701SW)			
Optional Item			
ATZ KCU-1.8		1.8meter 2-in-1 KVM Cable-USB & VGA	
ATZ KCU-3		3.0meter 2-in-1 KVM Cable-USB & VGA	
ATZ KCU-5		5.0meter 2-in-1 KVM Cable-USB & VGA	
ATZ KCP-1.8		1.8meter 3-in-1 KVM Cable-PS/2 & VGA	

Model : ATZ 17xxSW (xx= no. of KVM ports)
Description : 17" **FHD** Combo LCD KVM Console Drawers **(8/16 ports)**
 - Optimize rack space. Maximize rack monitoring -




ATZ KCP-3	3.0meter 3-in-1 KVM Cable-PS/2 & VGA
ATZ KCP-5	5.0meter 3-in-1 KVM Cable-PS/2 & VGA

Product Diagram:




ATZ LK1708SW




ATZ LK1716SW

Model : ATZ 17xxSW (xx= no. of KVM ports)
Description : 17" FHD Combo LCD KVM Console Drawers (8/16 ports)
- Optimize rack space. Maximize rack monitoring -



Model : ATZ 17xxSW (xx= no. of KVM ports)
Description : 17" **FHD** Combo LCD KVM Console Drawers (**8/16 ports**)
- Optimize rack space. Maximize rack monitoring -



Warranty: 3 Years-KVM/ 2 Years-LED Screen

Warranty is effective from the date of original delivery.

This warranty shall be void if a serial number has been removed from the product.