

Description: 21.5"/ 23.5" FHD Combo LCD KVM Console Drawers

(Screen right side open version)

- Optimize rack space. Maximize rack monitoring -



ATZ range of LCD console drawers provides a variety of features that simplify to access servers to making system monitoring, troubleshooting and software upgrades. The self-locking rails when in the fully extended open position and the ultra convenient auto lock release when the LCD panel is closed, make for simple and hassle free operation.

Configure with 21.5 or 23.8 inch A-Grade FHD LCD panels, combo DB15 single, 8 or 16 port integrated KVM switch & Extra USB local console.



Description : 21.5"/ 23.5" FHD Combo LCD KVM Console Drawers

(Screen right side open version)

- Optimize rack space. Maximize rack monitoring -

Features:

Support combo interface, VGA-USB & VGA-PS/2.

• LCD panel A-Grade

- Extra USB Local console to add local KB/Mouse & VGA.
- Durable 104-key keyboard and touch pad.
- Quick and simple installation.
- Heavy Duty Steel housing
- Self-locking and auto release rails for ultra convenience.
- Port selection via push buttons or On-Screen-Display (OSD).
- Dedicated daisy chain port to expand up to 240 servers.

Specifications:

Part No.		ATZ LK2108W	ATZ LK2116W	ATZ LK2408W	ATZ LK2416W
Direct no. of Computers		8	16	8	16
Maximum no. of Computers		232(Daisy Chain)	240(Daisy chain)	232(Daisy Chain)	240(Daisy chain)
LCD	Size	21.5″		23.8"	
	Backlight	LED		LED	
	Resolution	1920*1080 FULL HD (up to 1920*1200)		1920*1080 FULL HD (up to 1920*1200)	
	Max.color	16.7M		16.7M	
	Luminance	250cd/m2		250cd/m2	
	View Angel (H/V)	178 / 178		178 / 178	
	Contrast Ratio	3000 : 1		1000 : 1	
Por	t Selection	Push Button, OSD or Hotkey		Push Button, OSD or Hotkey	
US	B Local console	2x USB (Keyboard/Mouse) + 1x VGA			
KB,	/Mouse Emulation	USB & PS2			
Rack Depth		500mm to 1100mm (rack cabinet front rails to rear rails)			
Pov	wer	100-240V AC 50/60Hz via IEC Type power cord			
Env	vironment	Operation temp: 0 to 50°C Storage temp: -20 to 60°C			



Description: 21.5"/ 23.5" FHD Combo LCD KVM Console Drawers


(Screen right side open version)

- Optimize rack space. Maximize rack monitoring -


	Humidity: 10% - 90%, non-condensing Shock: 10G acceleration (11ms duration) Vibration: 17 to 500Hz 1G PTP				
Physical Dimensions / Net Weights	448x42x775mm (WxHxD) / 18KG	448x42x775mm (WxHxD) / 19.5KG			
Packing Dimensions / Gross weights	730x260x880mm / 24 KG	730x260x880mm / 25 KGs			
Accessories					
1x 1.8meter IEC Type Power Cord					
Related items					
ATZ KCU-1.8	1.8meter 2-in-1 KVM Cable-USB & VGA (Bundled)				
ATZ KCU-3	3.0meter 2-in-1 KVM Cable-USB & VGA				
ATZ KCU-5	5.0meter 2-in-1 KVM Cable-USB & VGA				
ATZ KCP-1.8	1.8meter 3-in-1 KVM Cable-PS/2 & VGA				
ATZ KCP-3	3.0meter 3-in-1 KVM Cable-PS/2 & VGA				
ATZ KCP-5	5.0meter 3-in-1 KVM Cable-PS/2 & VGA				

Product Diagram:

ATZ LK2108_2408W



ATZ LK2116_2416W






Description: 21.5"/ 23.5" FHD Combo LCD KVM Console Drawers

(Screen right side open version)

- Optimize rack space. Maximize rack monitoring -



pg. 4


Notes: - All brand names and trademarks are properties of their respective holders and are referred to here for descriptive purpose only. Photo attached is for reference only, it may be slightly varied in items of colour, shape from the actual item delivered from time to time.



Description: 21.5"/ 23.5" FHD Combo LCD KVM Console Drawers

(Screen right side open version)

- Optimize rack space. Maximize rack monitoring -



Warranty: 3 Years (KVM) | 2 Years (for LED Screen)

Warranty is effective from the date of original delivery.

This warranty shall be void if a serial number has been removed from the product.