

**Description:** 17.3" FHD Dual Monitor LCD Drawer + multi input DVI/VGA/Audio/USB Hub.

(No Keyboard/Mouse)

- Optimize rack space. Maximize rack monitoring -







**Description:** 17.3" FHD Dual Monitor LCD Drawer + multi input DVI/VGA/Audio/USB Hub.

(No Keyboard/Mouse)

- Optimize rack space. Maximize rack monitoring -

### **Features:**

- 2U foldable dual 17.3 inch widescreen LCD display Drawer (No Keyboard/Mouse)
- Dual DVI & VGA Port
- 1920 x 1080 WUXGA Ultra high resolution
- Support FHD with 1080p resolution.
- Build in 2x 2 watts speakers
- Independent front osd control buttons to optimized display
- Hidden & Independent retractable tray for ultra convenience

## **Option:**

- Composite video input
- HDMI or Display port input
- 3G/ HD/ SD-SDI broadcast grade input
- DC 9~36 V power input
- AR Hardness glass
- Touch screen

## **Specifications:**

User Controls Interface:		
Power ON / OFF via Front Button		
Power Mode Status LED indicator		
OSD ( On Screen Display ) Buttons		
LCD Characteristics:		
Screen Size	Dual 17.3"	
Backlight Type	LED	
Resolution	1920*1080	
Contrast Ratio	400:1	
Brightness ( cd/m2 )	300	
View Angles ( H/V )	140/120	
Pixel Size ( HxV ) mm	0.1989x0.1989	
Max. Color	262K	
MTBF ( Hrs. )	10,000	



**Description:** 17.3" FHD Dual Monitor LCD Drawer + multi input DVI/VGA/Audio/USB Hub.

(No Keyboard/Mouse)

- Optimize rack space. Maximize rack monitoring -

<b>Mechanical and Environment:</b>	
Height	2U Foldable
Rack Depth	550 to 950mm ( cabinet front rail to rear rail )
	·
Mounting	Rack Mount with tilt adjustment
Construction	Metal Housing
Operating Temperature	0 - 50 deg. C
Operating Humidity	5% - 95% ( non -condensing )
Anti-Vibration	5 - 500 Hz / 1 Grms PTP
Anti-Shock	15G / Peak ( 11 ms )
Physical Dimension (WxHxD)	443 x 67 x 580 (mm)
Packing Dimension (WxHxD)	735 x 590 x215 (mm)
Net Weight / Gross Weight	12.5 / 17 (KGs)
Certification and Approvals	CE / FCC / RoHs
Input Signals:	
DVI-D	Dual DVI-D 24Pin Connector (Female)
VGA	Dual D-SUB 15Pin Connector (Female)
Audio	1x 3.5" Jack
Power Input	Standard IEC Inlet
Touch-USB ( option )	Dual USB A Type connector
Touch-RS232 ( option )	Dual D-SUB 9P connector ( Female )
<b>Power Specifications:</b>	
AC Power Input	Standard IEC Type Power Cord with Internal Power
	adapter, 100-240V AC Input
Wide Range DC Power Input	Screw Type Terminal Block with internal
( option )	




**Description:** 17.3" FHD Dual Monitor LCD Drawer + multi input DVI/VGA/Audio/USB Hub.


(No Keyboard/Mouse)

- Optimize rack space. Maximize rack monitoring -

## **Product Diagram:**

#### Rear of ATZ LRMD17W-D2





Dual-Rail design w/Retractable Tray

pg. 4


Notes: - All brand names and trademarks are properties of their respective holders and are referred to here for descriptive purpose only. Photo attached is for reference only, it may be slightly varied in items of colour, shape from the actual item delivered from time to time.



**Description:** 17.3" FHD Dual Monitor LCD Drawer + multi input DVI/VGA/Audio/USB Hub.

(No Keyboard/Mouse)

- Optimize rack space. Maximize rack monitoring -



pg. 5


Notes: - All brand names and trademarks are properties of their respective holders and are referred to here for descriptive purpose only. Photo attached is for reference only, it may be slightly varied in items of colour, shape from the actual item delivered from time to time.




Description: 17.3" FHD Dual Monitor LCD Drawer + multi input DVI/VGA/Audio/USB Hub.

(No Keyboard/Mouse)

- Optimize rack space. Maximize rack monitoring -





# **Warranty: 3 Years**

Warranty is effective from the date of original delivery.

This warranty shall be void if a serial number has been removed from the product.