


Model : ATZ HUC04A

Description: 4K HDMI to USB3.0 Video Capture Device w/HDMI Loopout (HDMI Input support 4K/30HZ, USB Output Support 1080P/30HZ)



Model : ATZ HUC04A

Description: 4K HDMI to USB3.0 Video Capture Device w/HDMI Loopout (HDMI Input support 4K/30HZ, USB Output Support 1080P/30HZ)

The video capture can capture both HDMI video and HDMI audio, sending audio and video signals to computers and smart phones for preview and storage. Suitable for high definition acquisition, teaching recording, medical imaging, etc

Features:

- Support HDMI loop out;
- Support input max resolution 4K;
- Support output max resolution 1080P;
- Support AWG26 HDMI standard cable: input up to 15 meters, (1080P and below resolution);
- Support Windows、 Android and MacOS;
- Support most acquisition software, such as VLC、 OBS 、 Amcap, etc;
- Conform to USB Video and UVC standard;
- Conform to USB Audio UAC standard;
- Compact and portable.

Specifications:

HDMI resolution	Max input can be 4K
Support video format	8/10/12bit Deep color
Video output format	YUV、 JPEG
Video output resolution	Max output can be 1080P
Support audio format	L-PCM
Input cable distance	≤15m,AWG26 HDMI standard cable
Max working current	0.7A/5VDC
Operating Temperature range	(-10 to +55°C)
Dimension (L x W x H)	59x56x19 (mm)
Weight	52g

Connection and Operation

- 1: Connect the UHD signal source to the HDMI input of the video capture with one HDMI cable.
2. Connect the display device to the HDMI output of the video capture with one HDMI cable.


Model : ATZ HUC04A

Description: 4K HDMI to USB3.0 Video Capture Device w/HDMI Loopout (HDMI Input support 4K/30HZ, USB Output Support 1080P/30HZ)

3. Connect PC USB port to the USB output of the video capture with one USB cable.
- 4: Operation steps for USB video capture(OBS): Open the software→Choose sources of "Video capture Device"→Set the size of image→Choose "Studio Mode"(double window)
→Choose "Start Recording".

Operation Example as below


1. Add new sources, choose " Video Capture Device




Model : ATZ HUC04A

Description: 4K HDMI to USB3.0 Video Capture Device w/HDMI Loopout (HDMI Input support 4K/30HZ, USB Output Support 1080P/30HZ)

2. Set the size of the image.




3. Choose "Studio Mode"(double window).



Model : ATZ HUC04A

Description: 4K HDMI to USB3.0 Video Capture Device w/HDMI Loopout (HDMI Input support 4K/30HZ, USB Output Support 1080P/30HZ)

4. Click " Start Recording"



Note:

Computer hardware configuration requirements:

CPU: PC i5-3400 or above ;

NB i7-3537U 2.0GHZ or above

Graphics card: PC NVIDIA GT630 or above; NC NVIDIA GT735M or above

Run memory: 4G RAM

Package Includes:

1x Video capture

1x User manual


1x USB cable male to male

2x Micro USB cable

Model : ATZ HUC04A

Description: 4K HDMI to USB3.0 Video Capture Device w/HDMI Loopout (HDMI Input support 4K/30HZ, USB Output Support 1080P/30HZ)

Product Diagram:



Warranty: 2 Years

Warranty is effective from the date of original delivery.

This warranty shall be void if a serial number has been removed from the product.