

Description : 17"/19" (1280x1024) 8/16 ports HDMI 2.0 input LCD KVM Switch

- Optimize rack space. Maximize rack monitoring -



(USB Port for device access)

ATZ HDMI LCD KVM drawers provide a variety of features that simplify access to servers for system monitoring, troubleshooting and software upgrades. The self-locking rails when in the fully extended open position and the ultra convenient auto lock release when the LCD panel is closed, made for simple and hassle-free operation. Available with 17"/ 19" Full HD A-Grade LCD panels, integrated with 8-ports or 16-ports USB-HDMI KVM switch.

Features:

- 17"/19" 1280 x 1024 resolution.
- Support USB-HDMI interface.
- 8/16-ports HDMI 2.0 input.
- Front 1x USB, Rear 1x USB 2.0 Type A, Sharing USB peripheral Device for computer (ex, flash disk, hard driver, KB/Mouse).
- Additional two USB console port to add local KB/Mouse.

pg. 1

Notes: - All brand names and trademarks are properties of their respective holders and are referred to here for descriptive purpose only. Photo attached is for reference only, it may be slightly varied in items of colour, shape from the actual item delivered from time to time.



Description: 17"/19" (1280x1024) 8/16 ports HDMI 2.0 input LCD KVM Switch

- Optimize rack space. Maximize rack monitoring -

• Build in 2x 2 watts stereo speakers.

- Durable 104-key keyboard and touch pad.
- Quick and simple installation.
- Self-locking and auto release rails for ultra convenience.
- Port selection via push buttons or hotkey.

Specifications:

Part No.		ATZ LK1708SHD	ATZ LK1716SHD	ATZ LK1908SHD	ATZ LK1916SHD	
Direct no. of Computers		8	16	8	16	
Maximum no. of Computers		8	16	8	16	
LCD	Size	17″		19"		
	Backlight	LED		LED		
	Resolution	1280*1024		1280*1024		
	Max. color	16.7M		16.7M		
	Luminance	250cd/m2		250cd/m2		
	View Angel (H/V)	176 / 170		170 / 160		
	Contrast Ratio	1000:1		1000:1		
Port Selection		Push Button, Hotkey		Push Button, Hotkey		
Local Console		Yes , USB x2 for KB/ Mouse				
USB HUB		1x Front , 1xRear USB 2.0 Type A for Peripheral USB Device				
KB/Mouse Emulation		USB				
Rack Depth		500mm to 1100mm (rack cabinet front rails to rear rails)				
Power		100-240V AC 50/60Hz via IEC Type power cord				
		Operation temp: 0 to 50°C				
F	:	Storage temp: -20 to 60°C				
Environment		Humidity: 10% - 90%, non-condensing				
		Shock: 10G acceleration (11ms duration)				




Description: 17"/19" (1280x1024) 8/16 ports HDMI 2.0 input LCD KVM Switch


- Optimize rack space. Maximize rack monitoring -

	Vibration: 17 to 500Hz 1G PTP					
Physical Dimensions/ Net Weights	448x42x580mm (WxHxD) / 12.0KG	448x42x580mm (WxHxD) / 12.5KG				
Packing Dimensions/ Gross weights	710x160x780mm (WxHxD) / 18.0KG	710x160x780mm (WxHxD) / 18.5KG				
Accessory						
1x 1.8m IEC Type Powe	1.8m IEC Type Power Cord					
Related Items	ated Items					
ATZ HDMI-CABLE- V2.0-2M	2 meter HDMI v2.0 Cable					
ATZ USBAB2M	Z USBAB2M 2 meter USB Cable					

ATZ LK1708SHD_LK1908SHD



ATZ LK1716SHD_LK1916SHD






Description: 17"/19" (1280x1024) 8/16 ports HDMI 2.0 input LCD KVM Switch

- Optimize rack space. Maximize rack monitoring -


Product Diagram:





Description: 17"/19" (1280x1024) 8/16 ports HDMI 2.0 input LCD KVM Switch

- Optimize rack space. Maximize rack monitoring -



pg. 5

Notes: - All brand names and trademarks are properties of their respective holders and are referred to here for descriptive purpose only. Photo attached is for reference only, it may be slightly varied in items of colour, shape from the actual item delivered from time to time.



Description: 17"/19" (1280x1024) 8/16 ports HDMI 2.0 input LCD KVM Switch

- Optimize rack space. Maximize rack monitoring -

Warranty: 3 Years-KVM/ 2 Years-LED Screen

Warranty is effective from the date of original delivery.

This warranty shall be void if a serial number has been removed from the product.