

**Model** : ATZ LK17xxSL\_LK19xxSL (xx= no. of KVM ports)

**Description** : 17"/19" Combo LCD KVM Console Drawers w/Extra Local Console  
(8 ports/16 ports) - Single rail  
- Optimize rack space. Maximize rack monitoring -

---



ATZ range of LCD console drawers provides a variety of features that simplify to access servers to making system monitoring, troubleshooting and software upgrades.

The self-locking rails when in the fully extended open position and the ultra-convenient auto lock release when the LCD panel is closed, make for simple and hassle free operation.

Available with 17" or 19" A-Grade LCD panels, combo Single, 8 or 16 port integrated KVM switch & with one extra local USB Console.

**Model** : ATZ LK17xxSL\_LK19xxSL (xx= no. of KVM ports)

**Description** : 17"/19" Combo LCD KVM Console Drawers w/Extra Local Console  
(8 ports/16 ports) - Single rail  
- Optimize rack space. Maximize rack monitoring -

## Features:

- Support combo interface, VGA-USB & VGA-PS/2.
- Single-Rail architecture in Heavy Duty Steel housing.
- Durable 104-key keyboard and touch pad.
- Quick and simple installation.
- Self-locking and auto release rails for ultra-convenience.
- Port selection via push buttons or On-Screen-Display (OSD).
- Dedicated daisy chain port to expand up to 240 servers.
- Extra local console for optional simultaneous access to KVM.
- Access Control List (ACL) security function for up to 8 independent user accounts.

## Specifications:

Part No.		ATZ LK1708SL	ATZ LK1716SL	ATZ LK1908SL	ATZ LK1916SL
Direct no. of Computers		8	16	8	16
Maximum no. of Computers		232(Daisy Chain)	240(Daisy chain)	232(Daisy Chain)	240(Daisy chain)
LCD	Size	17"		19"	
	Backlight	LED		LED	
	Resolution	1280*1024		1280*1024	
	Max. color	16.7M		16.7M	
	Luminance	250cd/m2		250cd/m2	
	View Angel (H/V)	176 / 170		170 / 160	
	Contrast Ratio	1000 : 1		1000 : 1	
Port Selection		N/A	Push Button, OSD or Hotkey	N/A	Push Button, OSD or Hotkey
USB Local Console		Yes, USB x2 for KB/ Mouse, VGA x1			
KB/Mouse Emulation		USB & PS2			
Rack Depth		500mm to 1100mm ( rack cabinet front rails to rear rails )			
Power		100-240V AC 50/60Hz via IEC Type power cord			
Environment		Operation temp: 0 to 50°C Storage temp: -20 to 60°C Humidity: 10% - 90%, non-condensing Shock: 10G acceleration ( 11ms duration) Vibration: 17 to 500Hz 1G PTP			
Physical Dimensions/ Net Weights		448x42x580mm (WxHxD) / 12.0KG		448x42x580mm (WxHxD) / 12.5KG	

pg. 2


**Notes:** - All brand names and trademarks are properties of their respective holders and are referred to here for descriptive purpose only. Photo attached is for reference only, it may be slightly varied in items of colour, shape from the actual item delivered from time to time.

**Model** : ATZ LK17xxSL\_LK19xxSL (xx= no. of KVM ports)


**Description** : 17"/19" Combo LCD KVM Console Drawers w/Extra Local Console  
(8 ports/16 ports) - Single rail  
- Optimize rack space. Maximize rack monitoring -

Packing Dimensions/ Gross weights	715x140x780mm (WxHxD) / 18.0KG	715x140x780mm (WxHxD) / 18.5KG
<b>Accessory</b>		
1x 1.8m IEC Type Power Cord		
<b>Related Items</b>		
ATZ KCU-1.8	1.8meter 2-in-1 KVM Cable-USB&VGA	
ATZ KCU-3	3.0meter 2-in-1 KVM Cable-USB&VGA	
ATZ KCU-5	5.0meter 2-in-1 KVM Cable-USB&VGA	
ATZ KCP-1.8	1.8meter 3-in-1 KVM Cable-PS/2&VGA	
ATZ KCP-3	3.0meter 3-in-1 KVM Cable-PS/2&VGA	
ATZ KCP-5	5.0meter 3-in-1 KVM Cable-PS/2&VGA	
ATZ IP101	KVM over IP module for Remote Bios Level Access	

## Product Diagram:




**ATZ LK1708SL\_LK1908SL**



**ATZ LK1716SL\_LK1916SL**


**Model** : ATZ LK17xxSL\_LK19xxSL (xx= no. of KVM ports)

**Description** : 17"/19" Combo LCD KVM Console Drawers w/Extra Local Console  
(8 ports/16 ports) - Single rail  
- Optimize rack space. Maximize rack monitoring -



**Model** : ATZ LK17xxSL\_LK19xxSL (xx= no. of KVM ports)

**Description** : 17"/19" Combo LCD KVM Console Drawers w/Extra Local Console  
(8 ports/16 ports) - Single rail  
- Optimize rack space. Maximize rack monitoring -



### **Warranty: 3 Years/ 2 Years-LED Screen**

Warranty is effective from the date of original delivery.

This warranty shall be void if a serial number has been removed from the product.