

Model : USB3-AM/F-ADPTR 90°-xx (xx = FL / FR)

Description : USB 3.0 Type-A Male to Female 90° Flat (Left / Right) with LED light



USB3-AM/F-ADPTR 90°-FL



USB3-AM/F-ADPTR 90°-FR

This USB 3.0 Type A male to Type A female 90° Flat Left or Flat Right adapter is used to change the direction of the USB port. Eg connecting to your notebook USB female port changing the coming USB cable or device angle. Ideal for situation where space access is restricted, wall mounted TV or computer.

This USB adapter support both 5V charging and 5 Gbps data transmission.

This design protect your USB device from wear and tear due to frequent plugging/unplugging.

Suitable for your PC, laptop, external hard disk, camera, power bank, mouse, keyboard, printer, data cable, card reader and etc.

Plug and Play, no additional driver required.

Model : USB3-AM/F-ADPTR 90°-xx (xx = FL / FR)

Description : USB 3.0 Type-A Male to Female 90° Flat (Left / Right) with LED light

Features:

- USB 3.0 Flat left / right adapter
- Compliant with the latest USB v3.0 standards, Backward compatible with USB 2.0, 1.x versions
- Stable super speed USB 3.0 data transmission of 5 Gbps
- Port Protection: Reduces strain on USB ports caused by heavy cables or frequent plugging/unplugging of the device
- Durable Build: High quality aluminum alloy material allow better heat dissipation and stable connections
- Allows for a straight-through connection while still offering relief from cable tension
- Ultra-thin size, compact design
- Durable aluminum shell
- Plug and play, No additional driver required

High speed data transmission



Strong compatibility plug and play



Model : USB3-AM/F-ADPTR 90°-xx (xx = FL / FR)

Description : USB 3.0 Type-A Male to Female 90° Flat (Left / Right) with LED light

Specifications:

Connector A	USB Type A Male
Connector B	USB Type A Female
Protocol	USB 3.0
Gender	Male to Female
Angle	90° angle
Active / Passive	Passive
Data Transfer	5 Gbps
Power	5V
Material	Aluminium

Notes:

- 1) Check the orientation of your USB port to ensure that the adapter does not block any adjacent ports
- 2) Maximum charging rate is limited by the connected charger, USB cable and host device

USB 3.0 90 Degree Angle Design (Left and Right)

Applicable to different angles of equipment

Left



Right



Model : USB3-AM/F-ADPTR 90°-xx (xx = FL / FR)

Description : USB 3.0 Type-A Male to Female 90° Flat (Left / Right) with LED light

Product Picture:


USB3-AM/F-ADPTR 90°-FL



Model : USB3-AM/F-ADPTR 90°-xx (xx = FL / FR)

Description : USB 3.0 Type-A Male to Female 90° Flat (Left / Right) with LED light

USB3-AM/F-ADPTR 90°-FR



Model : USB3-AM/F-ADPTR 90°-xx (xx = FL / FR)

Description : USB 3.0 Type-A Male to Female 90° Flat (Left / Right) with LED light

Application Diagram:



Universal compatibility



Package Contents :

1 x USB 3.0 Type-A Male to Female 90° Flat (Left / Right) w/ LED light