

Model : ATZ ST6.35M-XLR-x-xxM

Description : 6.35mm Stereo Male to XLR Male / Female Cable

(x = gender : M / F), (xx = Length : 1m / 2m / 3m / 5m / 10m)

6.35mm Stereo Male to XLR **Male** Cable



6.35mm Stereo Male to XLR **Female** Cable



This premium 6.35mm (1/4") Stereo Male to XLR 3-Pin Male or Female cable is used for clean, balanced audio link transmission between professional gear for home, studio, PA and stage environment.

It uses a 6.35mm TRS (Tip-Ring-Sleeve) plug to a either XLR 3-Pin Male or Female Industry-standard connector for supporting a professional-grade signal transmission between audio equipment.

Commonly uses to connecting a audio interfaces, mixer to powered monitors, speaker or stage boxes. Ideal for studio patching into an audio interface, or routing signals across a stage, this cable ensures pristine sound with robust build quality for demanding environments.

Model : ATZ ST6.35M-XLR-x-xxM

Description : 6.35mm Stereo Male to XLR Male / Female Cable

(x = gender : M / F), (xx = Length : 1m / 2m / 3m / 5m / 10m)



Features:

- Professional industry standard connector
 - Stereo TRS (Tip-Ring-Sleeve) to XLR 3-pin configuration for optimum audio performance
 - Shield surrounding centre conductors for maximum EMI / RFI noise rejection making the sound quality undisturbed by external signals
 - Gold plated 6.35mm connector with inner copper spiral shielding to reduce noise interference providing clear transmission and reduce loss of sound quality
 - Professional Gold-Plated Pins, anti-corrosion and oxidation resistance. With multiple plug-and-pull tests, this cable is perfect for your daily prolong usage
 - Premium materials and durable construction results in clear, high-definition sound output
 - Heavy-duty cable withstands stepping, heavy pressure, rodent chewing, and other external factors while continuing to function normally
 - Robust construction provides excellent flexibility and protection over long distance against harsh conditions and wear
-

Model : ATZ ST6.35M-XLR-x-xxM

Description : 6.35mm Stereo Male to XLR Male / Female Cable

(x = gender : M / F), (xx = Length : 1m / 2m / 3m / 5m / 10m)



Specifications:


Connector Type 1	6.35mm (1/4") TRS	
Connector Plating	Gold Plated Connector	
Connector Type 2	XLR 3-Pin Male	XLR 3-Pin Female
Connector Gender	Male to Male	Male to Female
Connector Plating	Silver Plated Connector	
Signal Type	Stereo Balance	
Conductor Material	Tinned Copper (TC)	
Conductor Construction	17 / 0.16 ± 0.008 mm	
Conductor Material	Tinsel Wire	
Conductor Construction	2 / 0.24 ± 0.008 mm	
Conductor Stranded Diameter	0.98mm	
Num of Conductor	2 C	
Wire Gauge	22 AWG	
Insulation	Twisted Pair 60 + / - 2mm	
Insulation Material	HDPE	
Insulation Thickness	0.22mm	
Insulation Diameter	1.4 ± 0.008 mm	
Filler Material	Cotton Thread	
Drain Material	Tinned Copper (TC)	
Drain Construction	17 / 0.16 ± 0.008 mm	
Tape Material	Aluminium Mylar Tape	
Tape Over Lap	25% Min	
Spirally Material	Tinned Copper (TC)	
Spirally Construction	60 / 0.10 ± 0.008 mm	
Jacket	PVC	
Jacket Thickness	0.6 mm	
Jacket OD	6.0 ± 0.15 mm	
Colour	Black	

Model : ATZ ST6.35M-XLR-x-xxM


Description : 6.35mm Stereo Male to XLR Male / Female Cable

(x = gender : M / F), (xx = Length : 1m / 2m / 3m / 5m / 10m)

Cable Configuration:



Stereo Balance wire connection (Default)



Note:

1. Default wiring setup will be in stereo balance.

Model : ATZ ST6.35M-XLR-x-xxM

Description : 6.35mm Stereo Male to XLR Male / Female Cable

(x = gender : M / F), (xx = Length : 1m / 2m / 3m / 5m / 10m)

Product Picture:

6.35mm Stereo Male to XLR **Male** Cable



6.35mm Stereo Male to XLR **Female** Cable



Model : ATZ ST6.35M-XLR-x-xxM

Description : 6.35mm Stereo Male to XLR Male / Female Cable

(x = gender : M / F), (xx = Length : 1m / 2m / 3m / 5m / 10m)

**HIGH-QUALITY
GOLD-PLATED CONNECTORS**

Provides Clear Sound



**HIGH-QUALITY
GOLD-PLATED CONNECTORS**

Provides Clear Sound



Model : ATZ ST6.35M-XLR-x-xxM

Description : 6.35mm Stereo Male to XLR Male / Female Cable

(x = gender : M / F), (xx = Length : 1m / 2m / 3m / 5m / 10m)

Application Diagram:



Electric guitar



Electronic keyboard



Electronic drum



Saxophone

6.35 mm



Microphone



Amplifier



Speakers



Mix

XLR



OR



Package Contents :

1 x ATZ 6.35mm (1/4") Stereo Male to XLR Male / Female Cable (1m / 2m / 3m / 5m / 10m)

Warranty: 3 Years

Warranty is effective from the date of original delivery.