

Model : ATZ NET-RJJ-C6A-RTL

Description : Cat 6A RJ45 Unshielded 180° Keystone Jack, Rotate Tool-less



This rotating Cat 6A unshielded toolless keystone jack 180 degree is used span in to standard server rack blank patch panel or wall faceplate and all kinds of Cat 6A / Cat 6 / Cat 5e Ethernet cables.

Fast Installation of UTP 23-26 AWG cables without any special punch down tool or crimping tool. Dual-color-coded labelling for 568A and 568B Wiring Schemes.


In addition, gold-plated contacts and adherence to industry standards ensure high quality and reliable performance.

Model : ATZ NET-RJJ-C6A-RTL

Description : Cat 6A RJ45 Unshielded 180° Keystone Jack, Rotate Tool-less

Features:

- Conform to TIA / EIA 568B.2-1 and ISO / IEC 11801 standards
- Simple colour coded installation without using a punch down tools
- Stackable side by side design
- Compact and ingenious design, with the punching sequence direction marks on the sides of keystone jack
- Roll twist locking design sure the cable can be fixed reliably in the IDC clip
- 50μ gold plating on the jack contacts for durability and a long lifespan
- Gold Plated Contacts for Corrosion-free and Stable Connection of 10 Gbps Ethernet Giga speed
- Supports 1 GBASE-T network systems, surveillance cameras, VoIP phone systems, wireless access points and other PoE devices
- PoE (Power over Ethernet) jack prevents spark-gap erosion that degrades data and power transmission




Model : ATZ NET-RJJ-C6A-RTL

Description : Cat 6A RJ45 Unshielded 180° Keystone Jack, Rotate Tool-less



Specifications:


Connector Type	RJ45 Cat 6A Keystone Jack
Termination Type	Toolless
Wiring Type	T568A/B
RJ45 Contact Material	Phosphor bronze with 50-60" nickel plated, min. 3mm 3" gold plated on contact area;
IDC Contact Material	Phosphor bronze T=0.50mm with Tin Plating
Housing Material	PC
Wire Gauge	23 – 26 AWG
Data Rate	10 Gbps
Bandwidth	500 Mhz
PoE Capacity	PoE
Jack Mating Cycle	Min 750 cycles
IDC Mating Cycle	Min 300 cycles
Insertion Force	20N max
Retention Strength	7 kg between Jack and Plug
Operation Temperature	-10 - 60°C




Model : ATZ NET-RJJ-C6A-RTL

Description : Cat 6A RJ45 Unshielded 180° Keystone Jack, Rotate Tool-less


Operation Controls and Functions:




- Pass utp cat6 cable through cap hole.



- Take off the cable jacket



- Fix twisted pair based on T568A/T568B label



- Combine two parts and roll the button until lock.





- Cut off extra twisted pairs.



- Assembly into faceplate or patch panel

Model : ATZ NET-RJJ-C6A-RTL

Description : Cat 6A RJ45 Unshielded 180° Keystone Jack, Rotate Tool-less



Model : ATZ NET-RJJ-C6A-RTL

Description : Cat 6A RJ45 Unshielded 180° Keystone Jack, Rotate Tool-less





Product Picture:



Model : ATZ NET-RJJ-C6A-RTL

Description : Cat 6A RJ45 Unshielded 180° Keystone Jack, Rotate Tool-less

Product Diagram:



Model : ATZ NET-RJJ-C6A-RTL

Description : Cat 6A RJ45 Unshielded 180° Keystone Jack, Rotate Tool-less

Application Diagram:

Widely Used



Package Contents:

1 x ATZ NET-RJJ-C6A-RTL