

Model : ATZ LK17xxS-TP-IP_LK19xxS-TP-IP (xx=ports: 08/16/32)

Description: 17"/19" LCD Single-Rail 8/16/32 ports CAT6 LCD KVM Console drawers, w/Extra local console+Built-in Remote IP



**ATZ LK-DGU
USB CAT6 KVM Dongle (VGA)**

The ATZ range of LCD console drawers provides a variety of features that simplify to access servers to making system monitoring, troubleshooting and software upgrades. The self-locking rails when in the fully extended open position and the ultra-convenient auto lock release when the LCD panel is closed, make for simple and hassle free operation. Available with 17" or 19" A-Grade LCD panels, 8/ 16/ 32-ports integrated KVM switch over CAT6 network cables. Computer distance up to 40 meters away.

Features:

- Support combo interface, VGA-USB & VGA-PS/2.
- **LCD panel A-Grade**
- Up to 40 meters between Servers to KVM.
- Built in IP module for remote access (remote user video resolution up to 1920x1080@ 60Hz).
- Additional one USB Local console to add local KB/Mouse & VGA.
- Durable 104-key keyboard and touch pad.
- Quick and simple installation.
- **Heavy Duty Steel housing**
- Self-locking and auto release rails for ultra-convenience.
- Port selection via push buttons or On-Screen-Display (OSD).
- Dedicated daisy chain port to expand up to 256 servers.
- Access Control List (ACL) security function for up to 8 independents user accounts.

Model : ATZ LK17xxS-TP-IP_LK19xxS-TP-IP (xx=ports: 08/16/32)

Description: 17"/19" LCD Single-Rail 8/16/32 ports CAT6 LCD KVM Console drawers, w/Extra local console+Built-in Remote IP


ATZ LK1708S-TP-IP_1908S-TP-IP



ATZ LK1716S-TP-IP_1908S-TP-IP



ATZ LK1732S-TP-IP_1908S-TP-IP




Specifications:

Part No.		ATZ LK1708S-TP-IP	ATZ LK1716S-TP-IP	ATZ LK1732S-TP-IP	ATZ LK1908S-TP-IP	ATZ LK1916S-TP-IP	ATZ LK1932S-TP-IP
Direct no. of Computers		8	16	32	8	16	32
Maximum no. of Computers		232(Daisy Chain)	240(Daisy chain)	256(Daisy chain)	232(DaisyChain)	240(Daisy chain)	256(Daisy chain)
LCD	Size	17"			19"		
	Backlight	LED			LED		
	Resolution	1280*1024			1280*1024		
	Max.color	16.7M			16.7M		
	Luminance	250cd/m2			250cd/m2		
	View Angel (H/V)	176 / 170			170 / 160		
	Contrast Ratio	1000 : 1			1000 : 1		
Port Selection		Push Button, OSD or Hotkey					
USB Local console		Yes, USB x2 for KB/ Mouse, VGA x1					
IP module		Yes, remote user video resolution up to 1920 x 1080 @ 60Hz					
Max. Computer Distance		40 meters (Servers to KVM)					
KB/Mouse Emulation		USB & PS2					
Rack Depth		500mm to 1100mm (rack cabinet front rails to rear rails)					
Power		100-240V AC 50/60Hz via IEC Type power cord					
Environment		Operation temp: 0 to 50°C Storage temp: -20 to 60°C Humidity: 10% - 90%, non-condensing Shock: 10G acceleration (11ms duration) Vibration: 17 to 500Hz 1G PTP					

Model : ATZ LK17xxS-TP-IP_LK19xxS-TP-IP (xx=ports: 08/16/32)



Description: 17"/19" LCD Single-Rail 8/16/32 ports CAT6 LCD KVM Console drawers,
w/Extra local console+Built-in Remote IP

Physical Dimensions / Net Weights	448x42x580mm (WxHxD) / 12.0KG	448x42x580mm (WxHxD) / 12.5KG
Packing Dimensions / Gross weights	715x140x780mm (WxHxD) / 18.0KG	715x140x780mm (WxHxD) / 18.5KG
Accessory		
1.8meter IEC Type Power Cord		
Related Item		
ATZ LK-DGU	CAT6 KVM Dongle - USB & VGA	
Optional Items		
DVI-D(M)-VGA(F)-ADPTR-20cm	DVI-to-VGA changer	
DP-VGA-ADPTR-20cm	DisplayPort-to-VGA changer	
ATZ H11-1	HDMI-to-VGA changer	



Model : ATZ LK17xxS-TP-IP_LK19xxS-TP-IP (xx=ports: 08/16/32)

Description: 17"/19" LCD Single-Rail 8/16/32 ports CAT6 LCD KVM Console drawers, w/Extra local console+Built-in Remote IP




Package Includes:

- 1x LCD KVM
- 1x Power cord
- 1x Manual

Model : ATZ LK17xxS-TP-IP_LK19xxS-TP-IP (xx=ports: 08/16/32)

Description: 17"/19" LCD Single-Rail 8/16/32 ports CAT6 LCD KVM Console drawers, w/Extra local console+Built-in Remote IP

Product Diagram:



Model : ATZ LK17xxS-TP-IP_LK19xxS-TP-IP (xx=ports: 08/16/32)

Description: 17"/19" LCD Single-Rail 8/16/32 ports CAT6 LCD KVM Console drawers,
w/Extra local console+Built-in Remote IP

Warranty: 3 Years/ LED screen-2 Years

Warranty is effective from the date of original delivery.

This warranty shall be void if a serial number has been removed from the product.